



landscapeforms

**Outline**



## Redefine the Ordinary

A performance luminaire. A sculptural wayfinding element. An illuminated architectural detail. Outline reimagines the familiar lighting element, bringing visual interest, performance and versatility to urban environments.

SCIENCES BUILDING






Outline communicates refinement and elegance with the robustness required for public space. Equally at home in an urban setting, a streetscape or on campus, Outline beautifully defines space through form and light.

The Landscape Forms design team recognized an opportunity when designing Outline: to combine elevated performance and refined aesthetics in the common light column.









## A complete luminaire family.

10' and 12' column lights, and a 4' path light (available unlit) make up the Outline family of luminaires. Each is offered with a choice of distribution options, and, for the pedestrian scale versions, a choice of lumen packages.

Outline path lights and unlit bollards elegantly define space, intuitively guide traffic, and confidently extend the usability of the outdoors with its sculptural, modern form.









Outline is International Dark-Sky Approved and is Buy America Compliant. It eliminates high angle glare (G-0 rated), enhancing visual comfort, the visual experience and safety in public space settings.





## Refinement is in the details.

Outline's design is refined down to elegant touches and the subtlest of details, including the seamless transition between luminaire and ground plane, elimination of visible fasteners, and discreet flush handholes that allow easy access for installation and maintenance.









## **Sculpture, function and design possibility.**

Outline offers the versatility to illuminate a range of settings throughout the urban environment: defining space within parks, plazas and greenways; delineating streetscapes; lighting the way along pedestrian paths; signaling destinations and entrances; and even forming sculptural installations of varying heights.



**SCIENCES BUILDING**




## More than the sum of its parts.

More than just an assembly of castings and extrusions, Outline is a singular form, unique as much for its design as the craft manufacturing and finishing processes used in its creation. Landscape Forms' by-hand craft manufacturing process gives Outline its uniquely crisp lines, soft fades and seamless transitions. It begins with aluminum castings and extrusions, which are then precisely welded, ground, and finished to create a luminaire with sophisticated form and enduring beauty.

Proudly crafted in Kalamazoo, Michigan, Outline is public space-ready, modern yet approachable, and eager to make a statement with robust, meticulously crafted form.









# Application Examples


# Healing Garden



Healing Garden



# Healing Garden



- Key**
- 4' Bollard 
  - 10' Pedestrian Pole 
  - 12' Pedestrian Pole 


Linear Park



**Linear Park**



# Linear Park



- Key**
- 4' Bollard
  - 10' Pedestrian Pole
  - 12' Pedestrian Pole
-

**Main Street Plaza**



**Main Street Plaza**



# Main Street Plaza



- Key**
- 4' Bollard 
  - 10' Pedestrian Pole 
  - 12' Pedestrian Pole 


**Sculpture Garden**



**Sculpture Garden**



# Sculpture Garden




- Key**
- 4' Bollard
  - 10' Pedestrian Pole
  - 12' Pedestrian Pole

# Materials

## Vivid Series - Powdercoated Metal\* (Fine Texture)



## Neutral Series - Powdercoated Metal\*



## Architectural Series - Powdercoated Metal\* (Fine Texture)




## Features

- Elegant design and high-craft finish
- Visual comfort optical package
- IDA Dark Sky approved
- Pedestrian scale version at 10', 12'
- Pathlight at 4'
- Made in Michigan – BABA compliant\*
- IP66 Rating
- 6 Year Warranty

## Options


- Pedestrian scale output at 800-2300lm
- Pathlight output at 700-1000lm
- 2700K-4000K options (80CRI min)
- Types III and V distribution
- Multiple drive current options
- 7-Pin NEMA Receptacle
- GFCI Outlet with In-use cover
- Custom heights on request




# Polar Plots

Plot lines represent 1.0fc, grid spacing is 3'


Pathlight Type V




10' Type V (HO)




12' Type V (HO)




Pathlight Type III



10' Type III (HO)



12' Type III (HO)



landscapeforms



**Outline**